

**MOSER
PATTERSON &
SHERIDAN, LLP**

ATTORNEYS AT LAW

3040 Post Oak Blvd, Suite 1500
Houston, TX 77056-6582
TEL 713.623.4844
FAX 713.623.4846
WWW.MPSLLP.COM

FACSIMILE COVER SHEET

DATE: May 7, 2004
FILE NO: AMAT/2592.C6/DSM/LOW K/JW
TO: MAIL STOP ISSUE FEE (Examiner David Nhu)
FAX NO: 571-273-1792
COMPANY: USPTO
FROM: Keith M. Tackett
PAGE(S) with cover: 4
ORIGINAL TO FOLLOW? ☐ YES ☒ NO

David
approved
5/7/04
Enter it

RESPONSE TO NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION DATED APRIL 23, 2004

TITLE: Method of Decreasing the K Value in SIOC Layer Deposited by
Chemical Vapor Deposition
U.S. SERIAL NO.: 10/632,179
FILING DATE: July 31, 2003
INVENTOR: Gaillard, et al.
EXAMINER: David Nhu
GROUP ART UNIT: 2818
CONFIRMATION NO.: 9827

CONFIDENTIALITY NOTE

The document accompanying this facsimile transmission contains information from the law firm of Moser, Patterson & Sheridan, L.L.P. which is confidential or privileged. The information is intended to be for the use of the individual or entity named on this transmission sheet. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the contents of this faxed information is prohibited. If you have received this facsimile in error, please notify us by telephone immediately so that we can arrange for the retrieval of the original documents at no cost to you.

272704_2

PATENT

Atty. Dkt. No. AMAT/2592.C6/OSM/LOW KJW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
Gaillard, et al.

Serial No.: 10/632,179

Confirmation No.: 9827

Filed: July 31, 2003

For: Method for Decreasing the
K Value in SIOC Layer
Deposited by Chemical
Vapor Deposition

Group Art Unit: 2818

Examiner: David Nhu

MAIL STOP ISSUE FEE
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450CERTIFICATE OF FACSIMILE
TRANSMISSION UNDER 37 CFR 1.8I hereby certify that this correspondence and the documents
referred to as attached therein are being facsimile transmitted to
the U.S. Patent and Trademark Office to the fax number
indicated by the Examiner, namely, fax number 703-872-9306
to the attention of the named Examiner, on the date below.May 7, 2004
Date

Signature

Dear Sir:

RESPONSE TO NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION
DATED APRIL 23, 2004

In a Notice of Drawing Inconsistency with Specification dated April 23, 2004, with a response period set to expire on May 23, 2004, the Publishing Division requested an amendment to resolve an inconsistency between the drawings and the Brief Description of the Drawings in the specification. Applicant submits this response to correct minor editorial problems in the specification.

Any additional fees should be charged to Deposit Account No. 20-0782/AMAT/2592.C6/KMT. If any additional informalities are identified, please contact the undersigned attorney at 713-623-4844.

Amendments to the Specification begin on page 2 of this paper. Remarks
begin on page 3 of this paper.

272347

Page 1